

PLUG-IN



Counter



ONEGA LS PVLS|00|78|17|C000|17

PLUG-IN

Highlights

Versatile plug-in model with narrower tray to accommodate establishments with small dimensions.

Refrigerated storage included in the cabinet structure.

Lighting flow optimized for proper exposure meat products.

Multiple combinations of glasses to suit specific service needs.

Standard equipment

Evaporator R290. Condensate evaporation tray. Electronic Control. Refrigerated storage dependent. Pre-lacquered indoor deposit kit. Thermostatic valve. Natural defrost. Mechanical fans.




Options and Accessories

- Manual night courtain available with models that have single ligthing.
- Gable ends:
 - Panoramic (Thermopan)
 - Supermirror
 - Intermediate V2 (panoramic / both sides mirror)
- Tank kit in stainless steel Aisi-304 or Aisi-316:
 - ∘ Tank
 - Kit plate and fan cover/evaporator cover/air brake
- Lighting:
 - Single/double over tray: for TR/CU models exclusively
 - Integrated LED lighting (3000K, 4000K and 076)
 - Front Integrated LED lighting (3000K, 4000K and 076)
- Electric defrost
- Interior anti-fogging system
- Front anti-condensation system with electric heaters (for TR/CU models)
- Front plaque electrical system especially suitable for wall-mounted models (for LS/LR models)
- Glass shelves (models TR/CU)
- Integrated rear methacrylate closure
- Stainless steel bumper
- Epoxy (white or black) / Stainless steel Aisi-304 / Stainless steel Aisi-316 options

- Total Tactile Control
- AISI-316 Internal deposit kit for saltings and pickles
- Electronic fans
- Extra level display tray in epoxy, stainless steel AISI-304 or AISI-316 for salting and pickles:
 - Supplement tray two levels
 - Supplement tray three levels
- Methacrylate mobile dividers per high/low shelf
- Fixed methacrylate divider
- Accesories:
 - Roll Holder
 - Paper bag holder (500 and 300mm)
 - Cutting board
 - Scale support
 - Knives holder
 - Plastic lunch box holder (rectangular and squared)
 - Hooks for plastic bags
 - Extra plug 16A
 - Turnomatic
- Treated wood packaging
- Treated wood packaging Plus


• Fairing/tray/suction grille



ONEGA CU

PVCU007817C00017


Available modulations 937 | 1250 | 1875 | 2500 | 3125 | 3750



ONEGA TR

PVTR007817C00017

Available modulations 937 | 1250 | 1875 | 2500 | 3125 | 3750



CROSS SECTIONS

SELF-SERVICE - TRAY 780mm

ONEGA LR


PVLR007817C00017


Available modulations 937 | 1250 | 1875 | 2500 | 3125 | 3750

ONEGA LS

PVLS007817C00017

Available modulations 937 | 1250 | 1875 | 2500 | 3125 | 3750





www.frost-trol.com

frast-tral

FROST-TROL, S.A PLANTA 1 CV 159 KM 2 CP. 12180 Cabanes (Castellón) Españ: +34 964 34 27 40

PLANTA 2 PLANTA 2 AVDA. DEL CASTELL VELL, 188 12180 Castellón - España +34 964 34 27 40

FROST-TROL, S.A FRANCIA BUREAU BO9 RUE LE BOUVIER 92340 - BOURG LA REINÉ (PARIS) FRANCE FROST-TROL, S.A MÉXICO AV. PIRULES, 134 B ESQUINA CON AV. TEJOCOTES - 54769 Cuautitlán Izcalli - Estado de México +34 964 34 27 40

FROST-TROL, S.A DUBAI GOLDCREST EXECUTIVE JUMERIAH LAKES TOWERS (DUBAI) EMIRATOS ÁRABE: UNIDOS

